HECO®

AURORA 200



PREMIUM IN ITS MOST COMPACT FORM

HECO®

AURORA 200

PREMIUM IN ITS MOST COMPACT FORM


Not only ultra-compact but also ultra-good, as is demonstrated by the Aurora 200. Standing just 308 mm tall and measuring 170 mm width, it doesn't have an imposing look, but it does score highly with high quality features that are typical of Heco. This also applies to stereo applications and home cinema use as rear speakers.

as real speakers.

UNIVERSALLY APPLICABLE

The dimensions of the Aurora 200 make it suitable for use in virtually any situation. Whether it's used as a shelf speaker to get the best out of affordable electronics, or as a compact speaker for sound effects and surround channels in a home cinema setup, the Aurora is capable of mastering both with flying colors. When complemented by our Center 30, a homogeneous sound is reproduced all around thanks to a uniform speaker configuration. The Aurora Sub 30A active subwoofer is not only the perfect addition for cinema use, but also when the speaker is used on its own and an enhanced deep bass range is required.





HEGO®

AURORA 200

EXCELLENT TECHNOLOGY

As is the case with its larger siblings, the high quality technical ingredients can be both seen and heard. The legendary Fluktus tweeter with its 28 mm silk compound dome guarantees a natural treble range that is beyond comparison. The double magnet system with ferrofluid cooling guarantees high performance and - more importantly - a high load capacity. The distinctive multi-wave front panel ensures perfect dispersion properties for all listeners. The 125 mm bass-midrange driver is, of course, made of kraft paper. Our specially developed, long-fiber material guarantees a natural sound pattern that is beyond comparison, making it ideal for reproducing vocals and instruments alike. The carefully coordinated bass reflex construction allows the Aurora 200 to reproduce a deep bass range right down to 38 Hz. At the other end of the scale, the Fluktus tweeter also enables frequencies to be reproduced above 42,000 Hz.





 High-quality connecting terminal with solid, gold-plated and capsulated screw connectors



Front and top side in high-quality semi matte painting

HEGO®

AURORA 200

AURORA 200

Principle Equipment

Power Handling (RMS/Max)

Impedance

Frequency Response Crossover Frequencies

Recommended Amplifier Output

Sensitivity

Cabinet surface

Dimensions (WxHxD)

Weight

2-way bass reflex

1 x 5" woofer-midrange

1" dome-tweeter

65 / 120 W

4 - 8 Ω

38 - 42500 Hz

3400 Hz

20 - 150 W

89 dB

Ebony Black, Ivory White

170 x 308 x 245 mm



Ebony Black

Art. No. 134 8000 EAN: 40 29678 48060 6

Ivory White

Art. No. 134 8002 EAN: 40 29678 48062 0

HECO®

AURORA SERIES

DISCOVER THE ENTIRE SERIES

Exclusive speaker series with innovative technologies and modern design.



Ivory White



