

PRO HOUSE

For a house full of sound

Whether inside or out, on the wall or in the ceiling – the sound has to be good everywhere. When you equip out your house with loudspeakers, there are many ways to combine musical pleasure and modern design in a way that is stylish and flexible with great sound.





INWALL AND INCEILING:
Which series will work best for you?



809 SERIES

Premium series
Metal grill with discreet white edges
Membrane material: Ceramic
Swivel ceramic tweeter system

Difference between the 809 and 909 series: same specs, different metal grill

909 SERIES

Premium series
Metal grill, frameless
Membrane material: Ceramic
Swivel ceramic tweeter system



403 SERIES

Entry level series
Baffle with broad, white edge
Membrane material: Polypropylene
Swivel soft-dome tweeters



805 SERIES

Mid-range series
Metal grill with discreet, white edges
Membrane material: Aluminum
Swivel aluminum tweeter system





403 SERIES

Designed for audio purists, the models of the 403 series are an excellent introduction to the world of Canton speakers. Its solid technology with a swivel mount soft dome tweeter allows the sound to be adapted to fit the environment. The long-throw polypropylene woofer system ensures high-volume durability.

- Swivel mount soft dome tweeter
- Adjustable levels
- Removable metal grill with Canton logo
- Polypropylene cone membrane
- Baffle with a wide white edge
- InCeiling 463 DT: single stereo, dual dome tweeter




InWall 483	InWall 443	InWall 443 LCR
W x H x D 26.8 x 37.2 x 11.4 cm 10.5" x 14.6" x 4.5"	W x H x D 18.3 x 26.4 x 7.6 cm 7.2" x 10.4" x 3"	W x H x D 18.3 x 39.3 x 7.6 cm 7.2" x 15.5" x 3"
Installation size 24 x 34.5 cm 9.4" x 13.6"	Installation size 15.5 x 23.5 cm 6.1" x 9.2"	Installation size 15.5 x 36.5 cm 6.1" x 14.4"
Installation depth 10.5 cm / 4.1"	Installation depth 6.7 cm / 2.6"	Installation depth 6.7 cm / 2.6"
Available accessories ER 8	Available accessories ER 4	Available accessories ER 4 LCR
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>



InCeiling 483	InCeiling 463 DT	InCeiling 463	InCeiling 443
Diameter (Ø) 28.8 cm / 11.3"	Diameter (Ø) 23.8 cm / 9.4"	Diameter (Ø) 23.8 cm / 9.4"	Diameter (Ø) 20 cm / 7.9"
Installation size (Ø) 26 cm / 10.2"	Installation size (Ø) 21 cm / 8.1"	Installation size (Ø) 21 cm / 8.3"	Installation size (Ø) 17 cm / 6.7"
Installation depth 10 cm / 4"	Installation depth 8.5 cm / 3.3"	Installation depth 8.5 cm / 3.3"	Installation depth 7.3 cm / 2.9"
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>



InWall 885	InWall 865	InWall 845	InWall 845 LCR	InCeiling 845 SQ
W x H x D 27.5 x 37.9 x 10.2 cm 10.8" x 14.9" x 4"	W x H x D 23.6 x 33 x 9.2 cm 9.3" x 13" x 3.6"	W x H x D 19 x 27 x 7.5 cm 7.5" x 10.6" x 3"	W x H x D 19 x 40 x 7.5 cm 7.5" x 15.6" x 3"	W x H x D 19 x 19 x 8.5 cm 7.5" x 7.5" x 3.4"
Installation size 23.5 x 34.5 cm 9.2" x 13.6"	Installation size 20 x 29.5 cm 7.9" x 11.6"	Installation size 15.5 x 23.5 cm 6.1" x 9.2"	Installation size 15.5 x 36.5 cm 6.1" x 14.4"	Installation size (∅) 15 cm / 5.9"
Installation depth 9.9 cm / 3.9"	Installation depth 8.5 cm / 3.3"	Installation depth 7 cm / 2.7"	Installation depth 7 cm / 2.7"	Installation depth 7.8 cm / 3"
Available accessories ER 8 WFB 800	Available accessories ER 6 WFB 650	Available accessories ER 4	Available accessories ER 4 LCR	
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>
				

16 ohm loudspeaker

InCeiling 885	InCeiling 865 DT	InCeiling 865	InCeiling 845	InCeiling 845-16
Diameter (∅) 28.5 cm / 11.2"	Diameter (∅) 24.5 cm / 9.6"	Diameter (∅) 24.5 cm / 9.6"	Diameter (∅) 19 cm / 7.5"	Diameter (∅) 19 cm / 7.5"
Installation size (∅) 25 cm / 9.8"	Installation size (∅) 21 cm / 8.26"	Installation size (∅) 21 cm / 8.26"	Installation size (∅) 15.5 cm / 6.1"	Installation size (∅) 15.5 cm / 6.1"
Installation depth 9.5 cm / 3.7"	Installation depth 9 cm / 3.5"	Installation depth 8.6 cm / 3.4"	Installation depth 7.6 cm / 3"	Installation depth 7.6 cm / 3"
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>

805 SERIES

Who can ask for anything more? A metal cover with a discreet frame invisibly held by magnets. An aluminum tweeter with adjustable angle and volume. A woofer system with aluminum speaker cone and powerful magnetic drive. Those are the ingredients that go into the InWall and InCeiling of the 805 series.

- Swivel mount aluminum tweeter
- Aluminum cone membrane
- Adjustable levels
- Un-framed baffle
- Metal cover with discreet frame
- Front cover with magnetic fastening
- InCeiling 865 DT: single stereo, dual dome tweeter
- InCeiling 845-16: Ceiling speakers with 16 ohm impedance



809 SERIES

The 809 series is for connoisseurs who like a discreetly framed metal cover, but prefer the technology of ceramic cones. They combine the look of the 805 series with the technology of our premium models. Used in combination with elements of the 805 series, they can set acoustic highlights in strategic locations while still maintaining an overall uniform design.

- Swivel mount ceramic tweeter
- Ceramic cone membrane
- Adjustable levels
- Un-framed baffle
- Metal cover with discreet frame
- Front cover with magnetic fastening
- InCeiling 849-16: Ceiling speakers with 16 ohm impedance
- InCeiling 855 T series: Loudspeaker with 100 V/70 V transformer



InWall 889	InWall 869	InWall 849	InWall 849 LCR	InCeiling 889
W x H x D 27.5 x 37.9 x 10.3 cm 10.8" x 15" x 4"	W x H x D 23.6 x 33 x 9.2 cm 9.3" x 13" x 3.6"	W x H x D 19 x 27 x 7.5 cm 7.5" x 10.6" x 3"	W x H x D 19 x 40 x 7.5 cm 7.5" x 15.8" x 3"	Diameter (Ø) 28.5 cm / 11.2"
Installation size 23.5 x 34.5 cm 9.2" x 13.6"	Installation size 20 x 29.5 cm 7.9" x 11.6"	Installation size 15.5 x 23.5 cm 6.1" x 9.2"	Installation size 15.5 x 36.5 cm 6.1" x 14.4"	Installation size (Ø) 25 cm / 9.8"
Installation depth 9.9 cm / 3.9"	Installation depth 8.5 cm / 3.4"	Installation depth 7 cm / 2.7"	Installation depth 7 cm / 2.7"	Installation depth 9.5 cm / 3.8"
Available accessories ER 8	Available accessories ER 6 WFB 650	Available accessories ER 4	Available accessories ER 4 LCR	
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>



16 ohm loudspeaker



100 V loudspeaker



100 V loudspeaker



100 V loudspeaker

InCeiling 869	InCeiling 849-16	InCeiling 855 T	InCeiling 855 T-BC 7	InCeiling 855 T-BC 15
Diameter (Ø) 24.5 cm / 9.6"	Diameter (Ø) 19 cm / 7.5"	Diameter (Ø) 29 cm / 11.4"	Diameter (Ø) 29 cm / 11.4"	Diameter (Ø) 29 cm / 11.4"
Installation size (Ø) 21 cm / 8.3"	Installation size (Ø) 15.5 cm / 6.1"	Installation size (Ø) 27 cm / 10.6"	Installation size (Ø) 27 cm / 10.6"	Installation size (Ø) 27 cm / 10.6"
Installation depth 9 cm / 3.5"	Installation depth 7.6 cm / 3"	Installation depth 11.5 cm / 4.5"	Installation depth 11.5 cm / 4.5"	Installation depth 22.5 cm / 8.9"
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>



InWall 989	InWall 969	InWall 949	InWall 949 LCR
W x H x D 26.3 x 36.7 x 10.3 cm 10.4" x 14.5" x 4"	W x H x D 22.4 x 31.8 x 9.2 cm 8.8" x 12.5" x 3.6"	W x H x D 17.8 x 25.8 x 7.5 cm 7" x 10.2" x 3"	W x H x D 17.8 x 38.8 x 7.5 cm 7" x 15.3" x 3"
Installation size 23.5 x 34.5 cm 9.2" x 13.6"	Installation size 20 x 29.5 cm 7.8" x 11.6"	Installation size 15.5 x 23.5 cm 6.1" x 9.2"	Installation size 15.5 x 36.5 cm 6.1" x 14.4"
Installation depth 9.6 cm / 13.8"	Installation depth 8.5 cm / 3.4"	Installation depth 7 cm / 2.7"	Installation depth 7 cm / 2.7"
Available accessories ER 8 WFB 800	Available accessories ER 6 WFB 650	Available accessories ER 4	Available accessories ER 4 LCR
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>
			

Splash-proof

909 SERIES

Like all of our built-in speakers, the models in our 909 series are 2-way systems and round out our spectrum of built-in wall and ceiling speakers. The series boasts reference technology, high-quality ceramic membranes and elegant, un-framed front cover grills.

- Swivel mount ceramic tweeter
- Ceramic cone membrane
- Adjustable levels
- Un-framed baffle
- Frameless metal grill
- Front cover with magnetic fastening
- InCeiling 969 Pro: Splash-proof and suitable for use in wet environments

InCeiling 989	InCeiling 969	InCeiling 949	InCeiling 969 Pro
Diameter (Ø) 27.3 cm / 10.8"	Diameter (Ø) 23.2 cm / 9.1"	Diameter (Ø) 17.7 cm / 7"	Diameter (Ø) 23.2 cm / 9.1"
Installation size (Ø) 25 cm / 9.8"	Installation size (Ø) 21 cm / 8.3"	Installation size (Ø) 15.5 cm / 6.1"	Installation size (Ø) 21 cm / 8.3"
Installation depth 9.5 cm / 3.8"	Installation depth 9 cm / 3.5"	Installation depth 7.6 cm / 3"	Installation depth 9 cm / 3.5"
Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>	Color <input type="radio"/>