


HOME COLLECTION

2023



AUDIO SOLUTIONS
HANDCRAFTED IN FRANCE





For more than four decades, Focal has created speaker drivers and high-end loudspeakers that deliver a unique sound. Our brand values are innovation and performance; excellence and pleasure. We are globally renowned for our exclusive technologies. The result of this technological heritage is class-leading products offering a natural, authentic performance, imbued with clarity and power. With our collection of acoustic loudspeakers, we bring you excellent listening quality, both in stereo and Home Cinema set ups, through solutions with an exceptional design.



01.
UTOPIA

7

02.
SOPRA

17



03.
KANTA

23

04.
ARIA

29



05.
VESTIA

35

06.
CHORA

41



07.
SUBWOOFERS

47

08.
ASTRAL 16

51



01. UTOPIA

The legend continues

The embodiment of Focal excellence, the Utopia III Evo line is distinguished by its incredible silhouette, cutting-edge, exclusive technology, finishes inspired by the luxury car industry and, of course, the unrivalled listening experience they deliver. They are also home to the best components of their generation. Utopia is an icon, and still streets ahead of the rest.





'W' sandwich
cone




Pure Beryllium
tweeter



Focus
Time




Large laminar
vent



Power Flower™
technology



TMD®
surround





GRANDE UTOPIA EM EVO

The ultimate sound

Grande Utopia has left an indelible mark with each generation; it is Focal's most successful concept. With its exceptional performance and unique style, it is no longer simply a monument to technology, it is also a sound sculpture. Each speaker driver is housed inside a separate box. These boxes make up the spectacular spinal column of the loudspeaker and can be tilted by a dedicated handle. This adjustable 'Focus Time' function means you can achieve an absolutely perfect sound image based on the configuration of your room.


HANDCRAFTED
IN FRANCE




Carrara
White




Black
Lacquer




Ash
Grey




Metallic
Blue



British Racing
Green



Noyer
Foncé



Noyer
Naturel



GRANDE UTOPIA EM EVO

STELLA UTOPIA EM EVO

Type	4-way bass-reflex floorstanding loudspeaker		3-way bass-reflex floorstanding loudspeaker	
Drivers	- Electro-Magnetic 16" (40cm) 'W' Woofer - Multiferrite 11" (27cm) 'W' Low-Mid Woofer 2 x 6½" (16.5cm) 'W' Midrange Power Flower™ with TMD® suspension and NIC motor 1" (27mm) IAL2 pure Beryllium inverted dome tweeter		- Electro-Magnetic 13" (33cm) 'W' Woofer 2 x 6½" (16.5cm) 'W' Midrange Power Flower™ with TMD® suspension and NIC motor 1" (27mm) IAL2 pure Beryllium inverted dome tweeter	
Frequency response	18Hz - 40kHz		22Hz - 40kHz	
Low frequency point (-6dB)	14Hz		18Hz	
Crossover frequency	80 / 220 / 2,300Hz		230 / 2,200Hz	
Sensitivity (2.83V/1 m)	94dB		94dB	
Nominal impedance	8Ω (min 3Ω)		8Ω (min 2.8Ω)	
Recommended amplifier power	50 - 1,500W		50 - 1,000W	
Dimensions (HxWxD)	77⅞ x 25¾ x 34⅝" (201 x 65.4 x 88cm)		61⅜ x 21¾ x 32⅝" (155.8 x 55.3 x 83cm)	
Net weight (by unit)	584lbs (265kg)		375lbs (170kg)	
Finishes	      		      	



MAESTRO UTOPIA EVO

SCALA UTOPIA EVO

3-way bass-reflex floorstanding loudspeaker		3-way bass-reflex floorstanding loudspeaker	
11" (27cm) 'W' Woofer with a Magnetic Damping System (MDS) 11" (27cm) 'W' Woofer Power Flower™ 6½" (16,5cm) 'W' Midrange with TMD® suspension and NIC motor 1" (27mm) IAL2 pure Beryllium inverted dome tweeter		11" (27cm) 'W' Woofer Power Flower™ 6½" (16,5cm) 'W' Midrange with TMD® suspension and NIC motor 1" (27mm) IAL2 pure Beryllium inverted dome tweeter	
25Hz - 40kHz		27Hz - 40kHz	
21Hz		24Hz	
280 / 2,200Hz		220 / 2,400Hz	
93dB		92dB	
8Ω (min 3.1Ω)		8Ω (min 3.2Ω)	
50 - 600W		50 - 500W	
57⅞ x 17⅞ x 30¼" (147 x 45.5 x 77cm)		(49⅞ x 15½ x 26⅜") 124.7 x 39.3 x 67cm	
256lbs (116kg)		187lbs (85kg)	
      		      	



DIABLO UTOPIA
COLOUR EVO

Type	2-way bass-reflex compact bookshelf loudspeaker	
Drivers	• 6½" (16.5cm) 'W' Mid-Bass Power Flower™ • 1" (27mm) IAL2 pure Beryllium inverted dome tweeter	
Frequency response	44Hz - 40kHz	
Low frequency point (-6dB)	40Hz	
Crossover frequency	2,200Hz	
Sensitivity (2.83V/1 m)	89dB	
Nominal impedance	8Ω (min 4Ω)	
Recommended amplifier power	25 - 200W	
Dimensions (HxWxD)	17 x 10⅞ x 16¾" (43.1 x 25.8 x 42.7cm)	
Net weight (by unit)	44lbs (20kg)	
Finishes		



VIVA/VIVA CENTER
UTOPIA COLOUR EVO

Type	3-way LCR bass-reflex loudspeaker	
Drivers	• 2 x 8" (21cm) 'W' Woofers • 6½" (16.5cm) 'W' Midrange Power Flower™ • 1" (27mm) IAL2 pure Beryllium inverted dome tweeter	
Frequency response	39Hz - 40kHz	
Low frequency point (-6dB)	34Hz	
Crossover frequency	270Hz / 2,200Hz	
Sensitivity (2.83V/1 m)	92dB	
Nominal impedance	8Ω (min 3.2Ω)	
Recommended amplifier power	50 - 600W	
Dimensions (HxWxD)	37⅞ x 12⅝ x 20⅞" (94.2 x 32.2 x 51cm)	
Net weight (by unit)	125lbs (57kg)	
Finishes		



SUB UTOPIA EM
COLOUR EVO

Subwoofer (see p.47)



DIABLO UTOPIA
COLOUR EVO STAND

Height: 24" (60cm)
Graphite Black finish



VIVA / VIVA CENTER
UTOPIA COLOUR EVO STAND

Height: 16" (40cm)
Graphite Black finish

02. SOPRA

Revealing the invisible

The Sopra loudspeakers push back the limits of sound reproduction in terms of transparency, of precision, and harmonic richness. They gloriously release the essence of music: you will feel like you are listening to some sounds for the very first time... With its sleek design and its compactness, the Sopra range is a delight for aesthetes of form and sound.






'W' sandwich cone




Pure Beryllium IHL tweeter



TMD® surround



NIC technology




Black Lacquer




Carrara White




Electric Orange




Black Oak



Light Oak



Black Ostrea



Brown Concrete





SOPRA N°3



SOPRA N°2



SOPRA N°1

Type	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	2-way bass-reflex bookshelf loudspeaker
Drivers	• 2 x 8" (21cm) 'W' Woofer with NIC motor • 6½" (16.5cm) 'W' Midrange with TMD® suspension and NIC motor • 1" (27mm) IHL pure Beryllium inverted dome tweeter	• 2 x 7" (18cm) 'W' Woofer with NIC motor • 6½" (16.5cm) 'W' Midrange with TMD® suspension and NIC motor • 1" (27mm) IHL pure Beryllium inverted dome tweeter	• 6½" (16.5cm) 'W' Mid-Bass with TMD® suspension and NIC motor • 1" (27mm) IHL pure Beryllium inverted dome tweeter
Frequency response	33Hz - 40kHz	34Hz - 40kHz	45Hz - 40kHz
Low frequency point (-6dB)	26Hz	28Hz	41Hz
Crossover frequency	250Hz / 2,200Hz	250Hz / 2,200Hz	2,200Hz
Sensitivity (2.83V/1 m)	91,5dB	91dB	89dB
Nominal impedance	8Ω (min 3.1Ω)	8Ω (min 3.1Ω)	8Ω (min 3.9Ω)
Recommended amplifier power	40 - 400W	40 - 300W	25 - 150W
Dimensions (HxWxD)	49⅝ x 15¾ x 23⅞" (126.4 x 40.2 x 59.5cm)	46⅞ x 14⅞ x 21¼" (119 x 35.8 x 54cm)	16⅞ x 11 x 15¾" (42.5 x 27.9 x 39.6cm)
Net weight (by unit)	154lbs (70kg)	121lbs (55kg)	42lbs (19kg)
Finishes			



SOPRA CENTER



SOPRA SURROUND BE

3-way bass-reflex center loudspeaker	2-way sealed bipolar surround loudspeaker
• 2 x 6½" (16.5cm) 'W' Woofers • 3" (8cm) 'W' Midrange • 1" (27mm) IHL pure Beryllium inverted dome tweeter	• 2 x 6½" (16.5cm) 'W' Mid-Bass • 2 x 1" (27mm) IHL pure Beryllium inverted dome tweeter
55Hz - 40kHz	72Hz - 40kHz
50Hz	59Hz
500Hz / 2,200Hz	2,400Hz
91dB	91dB
8Ω (min 4.1Ω)	4Ω / 8Ω (min 3Ω / 6Ω (bipole/monopole))
40 - 200W	40 - 200W
9¼ x 24 x 13¾" (23.5 x 60.9 x 35cm)	15⅜ x 16⅞ x 7½" (39 x 43 x 19cm)
121lbs (19kg)	28lbs (13kg)



SW 1000 BE

Subwoofer (see p.47)



SOPRA STAND

Height: 24" (60cm)
Graphite Black finish

03.

KANTA


Performance meets style

Kanta is all about superb performance in an even more tightly controlled space. Precision, detail, warmth and musical sounding are its key sound characteristics. The range also stands out for its modern design and decidedly disruptive aesthetics. The front panels of its four models, in either a lacquered or a matte finish, offer various combination options to cater to all tastes and to suit diverse environments.





Flax
cone



Focus
Time



TMD®
surround



Beryllium
tweeter



Carrara
White



Black
Lacquer



Walnut High Gloss
& Black Lacquer



Walnut Mate
& Ivory



Walnut Mate
& Dark Grey





KANTA N°3

KANTA N°2

KANTA N°1

Type	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	2-way bass-reflex bookshelf loudspeaker
Drivers	• 2 x 8" (21 cm) Flax bass with NIC motor • 6½" (16.5 cm) Flax Midrange with TMD® suspension and NIC motor • 1" (27mm) IAL3 pure Beryllium inverted dome tweeter	• 2 x 6½" (16.5cm) Flax Woofer with NIC motor • 6½" (16.5cm) Flax Midrange with TMD® suspension and NIC motor • 1" (27mm) IAL3 pure Beryllium inverted dome tweeter	• 6½" (16.5 cm) Flax Mid-Bass with TMD® suspension and NIC motor • 1" (27 mm) IAL3 pure Beryllium inverted dome tweeter
Frequency response	33Hz - 40kHz	35Hz - 40kHz	46Hz - 40kHz
Low frequency point (-6dB)	26Hz	29Hz	42Hz
Crossover frequency	250Hz / 2,500Hz	260Hz / 2,700Hz	2,400Hz
Sensitivity (2.83V/1 m)	91dB	91dB	88dB
Nominal impedance	8Ω (min 3Ω)	8Ω (min 3.1Ω)	8Ω (min 3.9Ω)
Recommended amplifier power	40 - 400W	40 - 300W	25 - 150W
Dimensions (HxWxD)	50⅜ x 15¼ x 20½" (128 x 38.6 x 52cm)	44 x 12⅝ x 18¾" (111.8 x 32.1 x 47.7cm)	16⅝ x 9¼ x 15⅜" (42.2 x 23.4 x 39cm)
Net weight (by unit)	101lbs (46kg)	77lbs (35kg)	29lbs (13kg)
Finishes	    	    	    



KANTA CENTER

- 2-way bass-reflex center loudspeaker
- 6½" (16.5 cm) Flax Mid-Bass with TMD® suspension and NIC motor
 - 1" (27 mm) IAL3 pure Beryllium inverted dome tweeter

55Hz - 40kHz

50Hz

2,400Hz

91dB

8Ω (min 3.5Ω)

40 - 200W

9½ x 22 x 15⅜" (24.6 x 56.1 x 39cm)

40lbs (18kg)



SUB 1000 F

Subwoofer (see p.47)



KANTA N°1 STAND

Adjustable height from 24" to 25" (61,5 to 64,1cm)
Graphite Black finish



KANTA CENTER STAND

Adjustable height from 16.5" to 17.5" (42,4 to 45cm)
Graphite Black finish

04. ARIA


High-Fidelity guaranteed

The harmonic richness of the Aria line is a guarantee of genuine high-fidelity musical sound. Exclusive to Focal, the Flax cone of each speaker driver is a treat for the eyes, as well as the ears. From the cabinet to its natural design, nothing is left to chance - ensuring you will always enjoy an expressive, balanced listening experience.





Flax
cone




TNF
Tweeter




Leather effect
front panel



Front
port



Aluminium
alloy stand



Black
High Gloss



Noyer
Finish





	ARIA 948	ARIA 936	ARIA 926
Type	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker
Drivers	• 2 x 8" (21cm) Flax Woofer • 6½" (16.5cm) Flax Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter	• 3 x 6½" (16.5cm) Flax Woofer • 6½" (16.5cm) Flax Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter	• 2 x 6½" (16.5cm) Flax bass • 6½" (16.5cm) Flax Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter
Frequency response	37Hz - 28kHz	39Hz - 28kHz	45Hz - 28kHz
Low frequency point (-6dB)	31Hz	32Hz	37Hz
Crossover frequency	280Hz / 2,600Hz	260Hz / 3,100Hz	290Hz / 2,400Hz
Sensitivity (2.83V/1 m)	92.5dB	92dB	91.5dB
Nominal impedance	8Ω (min 2.5Ω)	8Ω (min 2.8Ω)	8Ω (min 2.9Ω)
Recommended amplifier power	40 - 350W	40 - 300W	40 - 250W
Dimensions (HxWxD)	45¼ x 14¾ x 16⅞" (115 x 37.1 x 42cm)	45¼ x 11½ x 14¾" (115 x 29.4 x 37.1cm)	40¾ x 11½ x 14¾" (103.5 x 29.4 x 37.1cm)
Net weight (by unit)	77lbs (35kg)	64lbs (29kg)	55lbs (25kg)
Finishes	 	 	 



ARIA 906	ARIA CC 900	ARIA SR 900
2-way bass-reflex bookshelf loudspeaker	2-way bass-reflex center loudspeaker	2-way sealed bipolar surround loudspeaker
• 6½" (16.5cm) Flax Mid-Bass • 1" (25mm) TNF Al/Mg inverted dome tweeter	• 2 x 6½" (16.5cm) Flax Mid-Bass • 1" (25mm) TNF Al/Mg inverted dome tweeter	• 2 x 5" (13cm) Flax Mid-Bass • 2 x 1" (25mm) TNF Al/Mg inverted dome tweeter
55Hz - 28kHz	57Hz - 28kHz	85Hz - 28Hz
47Hz	50Hz	67Hz
2,800Hz	2,800Hz	2,200Hz
89.5dB	91dB	90dB
8Ω (min 4.6Ω)	8Ω (min 4.3Ω)	8Ω (min 3.6Ω)
25 - 120W	40 - 200W	25 - 120W
15¾ x 8⅞ x 11" (39 x 22.5 x 28cm)	7⅞ x 21 x 9⅞" (20 x 53.3 x 24.5cm)	11½ x 15¾ x 6⅞" (29.5 x 40 x 17cm)
19lbs (8.5kg)	23lbs (10.5kg)	12lbs (6kg)
 	 	 Black Satin



SUB 1000 F
Subwoofer (see p.47)



S900 STAND
Aria 906 compatible Height: 24" (60cm) Aluminium finish


05.

VESTIA

A further step towards emotion

With the Vestia line, feel new emotions, whether in a hi-fi or Home Cinema setup. The four models of the range reveal the purity of Focal sound with even more finesse and detail, thanks to the attributes of the speaker drivers' Slatefiber cone and the TAM tweeter with 'M'-shaped dome delivering precise treble. With their sleek design and refined finishes, these loudspeakers fit seamlessly into any interior.





Slatefiber
cone



TAM
Tweeter



Time
alignment



Wave guide
tweeter



Rear and front
port



Black High Gloss
finish



Light Wood
finish



Dark Wood
finish





VESTIA N°4



VESTIA N°3



VESTIA N°2

Type	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker
Drivers	• 2 x 8¼" (21cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TAM Al/Mg inverted dome tweeter	• 3 x 6½" (16.5cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TAM Al/Mg inverted dome tweeter	• 2 x 6½" (16.5cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TAM Al/Mg inverted dome tweeter
Frequency response	40Hz - 30kHz	42Hz - 30kHz	47Hz - 30kHz
Low frequency point (-6dB)	34Hz	35Hz	37Hz
Crossover frequency	280Hz / 2,800Hz	280Hz / 3,100Hz	280Hz / 2,800Hz
Sensitivity (2.83V/1 m)	92dB	92dB	91.5dB
Nominal impedance	8Ω (min 2.6Ω)	8Ω (min 2.9Ω)	8Ω (min 4Ω)
Recommended amplifier power	40 - 350W	40 - 300W	40 - 250W
Dimensions (HxWxD)	44¾ x 12 x 16⅞" (112.6 x 30.4 x 43cm)	44⅞ x 10⅞ x 14¾" (112.2 x 25.6 x 37.5cm)	39⅞ x 10⅞ x 14⅝" (101.2 x 25.6 x 37.1cm)
Net weight (by unit)	69.5lbs (31.5kg)	58.4lbs (26.5kg)	48.5lbs (22kg)
Finishes			



VESTIA N°1



VESTIA CENTER

2-way bass-reflex bookshelf loudspeaker	2-way bass-reflex center loudspeaker
• 6½" (16.5cm) Slatefiber Mid-Bass • 1" (25mm) TAM Al/Mg inverted dome tweeter	• 2 x 6½" (16.5cm) Slatefiber Mid-Bass • 1" (25mm) TAM Al/Mg inverted dome tweeter
56Hz - 30kHz	58Hz - 30kHz
48Hz	50Hz
2,800Hz	2,700Hz
89.5dB	91.5dB
8Ω (min 4.5Ω)	8Ω (min 3.6 Ω)
25 - 120W	40 - 200W
15¼ x 10¼ x 8⅝" (38.7 x 21.9 x 26cm)	8½ x 21½ x 10⅜" (21.6 x 53.7 x 25.9cm)
15.4lbs (7kg)	22lbs (10kg)



SUB 600P

Subwoofer (see p.47)



VESTIA N°1 STAND

Height: 21⅝" (55cm)
Black finish



VESTIA CENTER STAND


Height: 17¾" (45cm)
Black finish

06. CHORA

Step into High-Fidelity

Chora is proof that the manufacturing of affordable products in France does not mean skimping on listening quality or the choice of a sophisticated style signature. Equipped with the slatefiber cone - a Focal technology that delivers a unique 'slate' effect - these melodious, must-have loudspeakers combine performance and design as a first foray into the High-Fidelity and Home Cinema universe.






Slatefiber
cone




AI/Mg TNF
Tweeter




Dolby Atmos®
effects



Black
finish



Light Wood
finish



Dark Wood
finish





CHORA 826-D

CHORA 826

CHORA 816

CHORA 806

Type	3-way bass-reflex floorstanding loud-speaker - 1-way sealed	3-way bass reflex floorstanding loudspeaker	2.5-way bass reflex floorstanding loudspeaker	2-way bass reflex bookshelf loudspeaker
Drivers	• 2 x 6½" (16.5cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter	• 2 x 6½" (16.5cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter	• 6½" (16.5cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter	• 6½" (16.5cm) Slatefiber Mid-Bass • 1" (25mm) TNF Al/Mg inverted dome tweeter
Frequency response	48Hz - 28kHz Atmos: 100Hz - 20kHz	48Hz - 28kHz	50Hz - 28kHz	58Hz - 28kHz
Low frequency point (-6dB)	39Hz Atmos: 90Hz	39Hz	45Hz	49Hz
Crossover frequency	270Hz / 2,700Hz	270Hz / 2,700Hz	270Hz / 2,700Hz	3,000Hz
Sensitivity (2.83V/1 m)	91dB	91dB	89.5dB	89dB
Nominal impedance	8Ω (min 2.9Ω) Atmos: 6Ω	8Ω (min 2.9Ω)	8Ω (min 4Ω)	8Ω (min 4.6Ω)
Recommended amplifier power	40 - 250W	40 - 250W	40 - 200W	25 - 120W
Dimensions (HxWxD)	41⅞ x 12 x 15¼" (105 x 30 x 39cm)	41⅞ x 12 x 15¼" (105 x 30 x 39cm)	40¼ x 12 x 15¼" (102 x 30 x 39cm)	17 x 8¾ x 10⅝" (43 x 21 x 27cm)
Net weight (by unit)	49lbs (22kg)	47lbs (21kg)	41lbs (18.5kg)	16lbs (7.5kg)
Finishes				



CHORA CENTER

CHORA SURROUND

2-way sealed center loudspeaker

2-way sealed surround loudspeaker

- 2x 6½" (16.5cm) Slatefiber Mid-Bass
 - 1" (25mm) TNF Al/Mg inverted dome tweeter
- 2x 6½" (16.5cm) Slatefiber Mid-Bass
 - 1" (25mm) TNF Al/Mg inverted dome tweeter

59Hz - 28kHz

80Hz - 28kHz

51Hz

67Hz

2,100Hz

3,000Hz

91dB

89dB

8Ω (min 3.8Ω)

8Ω (min 4.5Ω)

40 - 200W

25 - 100W

8¼ x 20⅞ x 10" (21 x 53 x 25cm)

17½ x 4 x 12⅝" (44.5 x 10 x 32cm)

20lbs (9kg)

12lbs (5.5kg)



SUB 600P

Subwoofer (see p.47)



CHORA 806 STAND

Height: 21⅞ (55cm)
Black finish

CHORA CENTER STAND

Height: 17¼ (45cm)
Black finish

07. SUBWOOFERS

Dynamics, impact and power

The subwoofer is a major component of any audio installation, providing dynamics and intensity. With their sleek design, Focal subwoofers offer a deep, impactful and powerful bass. They effectively complement a wide range of configurations, from the most sophisticated Home Cinema installations to compact systems. All you have to do is choose the subwoofer for you!





SUB UTOPIA EM
COLOUR EVO



SW 1000 BE

Type	Stackable passive subwoofer		Active bass-reflex subwoofer
Drivers	- Electro-Magnetic 13" (33cm) 'W' bass driver - Stackable (up to 3 subwoofers tall) - Almost 130dB SPL at 1m (in a corner)		13" (33cm) 'W' woofer
Frequency response	22Hz - 500Hz		20Hz - 150Hz
Low frequency point (-6dB)	19Hz		18Hz
Functions	Sensitivity (2.83V/1m)	93dB	- LFE/Stereo/Digital inputs - Adjustable LPF: 50Hz to 150Hz (24dB/oct.), 48dB/oct. - Adjustable subsonic filter 3 user memories - Night mode and Boost mode - Autopower
	Nominal impedance	8Ω 8Ω (min 5.5Ω)	
	Recommended amplifier power	500 - 1.000W	
Amplifier power	-		600W BASH® amplifier
Dimensions (HxWxD)	24¾ x 19 x 24¾" (63 x 48 x 62cm)		21 x 19¾ x 16⅞" (53.5 x 50 x 43cm)
Net weight (by unit)	159lbs (72kg)		92lbs (42kg)
Finishes	    		



SUB 1000F



SUB 600P

Active sealed subwoofer	Active closed subwoofer
12" (30cm) Flax woofer	12" (30cm) Polyflex woofer
24Hz - 160Hz	28Hz - 270Hz
22Hz	26Hz
- LFE/Stereo inputs - Adjustable subsonic filter: 40Hz to 160Hz/12dB/Oct - Phase inverter: 0 - 180° - Autopower	- RCA input: Right, left, LFE - Crossover Frequency: Variable 40Hz - 200Hz (LFE) - Phase inverter: 0 - 180° - AutoStandby enable / disable
1000W BASH® amplifier	600W Dynamic 300W RMS
16½ x 15¾ x 16½" (42 x 40 x 42cm)	15¾ x 15¾ x 16¾" (40 x 40 x 42.5cm)
47lbs (21.5kg)	46lbs (21kg)
	


08.

ASTRAL 16

Sound immersion

Astral 16 is a 16-channel audio-video processor and amplifier that allows you to get the best from your loudspeakers. Compatible with Control4, Crestron, Savant and RTI, this cutting-edge electronic device incorporates 12 class-D amplifier channels and handles all audio formats (DolbyAtmos®, DTS:X™ etc.). You can control whichever system you want by room via a simple app, enjoy access to technical support at any time and customise your system as desired.






Audio-video
processor



Upgradable
product



12 x
250W RMS



Home Cinema &
Multiroom



Dolby Atmos®
DTSX® - Auro 3D®



Dirac Live acoustics
correction





ASTRAL 16


Type	16 channel audio-video processor and amplifier	
Main features	• Compatible formats	Dolby Atmos [*] / DTS:X™ / Auro-3D [*]
	• Compatible formats	Powered by Dirac Live [*] : target curve editable from 20Hz to 20kHz for all channels (including subwoofers), phase correction full bandwidth 20Hz - 20kHz on all channels (including subwoofers)
	• 'Remote Monitoring' function	
Multichannel / Surround Processing	• Output channels • Decoding / upmixing channels • Input sampling rate supported • Stereo downmix • Bass management • Multi-subwoofer channels • Multi-way crossover • 20 Parametric EQ per channel	16 Up to 16 channels Up to 192kHz Fully flexible Unlimited (6-12-18-24-36-48dB/oct)
HDMI	• HDMI inputs • HDMI outputs (mirror) • Supported video format • High Dynamic Range • Color Space and Subsampling • Deep Color • Max resolution supported • HDMI	7 : HDMI 2.0 / HDCP 2.2 1 : HDMI 2.0 / HDCP 2.2 (with eARC) 2 : HDMI 2.0 / HDCP 2.2 up to 4K UHD HDR10 / HLG 4:4:4, 4:2:2, 4:2:0 12 bpc 4K 60fps 4:4:4 8bpc 3D / 4K / eARC
Audio Inputs	• Digital input • Analog stereo inputs	3 x coaxial, 3 x optical 4 x RCA inputs
Amplified Audio Outputs	• Amplified main outputs • Analog main outputs, balanced • Stereo downmix outputs, balanced • Technology • Amplified channels	12 4 x XLR 2 x XLR Class D 12
	• Continuous power output, per channel, to 0.1%THD	8Ω / 4Ω / 2.7Ω
	• 3 channels driven simultaneous • 6 channels driven simultaneous • 12 channels driven simultaneous	200W / 400W / 650W 200W / 350W / 350W 200W / 300W

Set-Up Management	• Configurable multi-theater management • Configurable audio zones management • Unlimited Theater and audio zones listening presets • Backup and restore of set-up • Firmware update via USB/network	
Control Inputs and Outputs	• USB type A	2
	• Ethernet	
	• Trigger	4 (out)
Control and custom Installation	• IR remote ports, in/out	1 / 1
	• Web-based product configurator • TCP/IP API based control • Focal Remote iPad [*] control application • Home automation • Front panel display	Control4, Crestron, RTI and Savant TFT 4.3"
Power Supply	• Voltage range • Type • Range selection	100V to 240V SMPS Universal
Supplied with	• Calibrated measurement microphone and tripod • Dirac Live [*] license • 32.9ft (10m) cable with infra-red detector • Mounting kit	
Dimensions avec stands (HxWxD)	7½ x 18⅞ x 19¼" (19.1 x 47.9 x 49cm)	
Weight	Weight net with stands	44.1lbs (20kg)
	Weight net with accessories for Rack (kg/lbs)	50.7lbs (23 kg)


FOCAL & NAIM

Complete systems

With Focal and Naim's complementary products, you can enjoy complete solutions. Our loudspeakers are designed to reveal a pure sound, the embodiment of the spirit of High Fidelity. Our all-in-one systems allow you to take full advantage of the loudspeakers' performance, and are a simple and smart way of managing your music from a single source: access integrated streaming services, (Spotify, Tidal, Qobuz, etc.), improve the sound of your TV, and enjoy your CDs and radio stations and more.



Focal
loudspeakers



Uniti music-streaming
system



Matching
cables

CHORA 806 & UNITI ATOM



CHORA 826 & UNITI ATOM



VESTIA N°1 & UNITI ATOM



VESTIA N°4
& UNITI STAR



ARIA 926 & UNITI STAR



KANTA N°1 & UNITI STAR



KANTA N°2 & UNITI NOVA





UTOPIA



'Musically, audiophiles could not ask for anything more than the Grande'

AUDIOPHILIA

'The Stellas are really bespoke loudspeakers, and to me, musical works of art'

TONE PUBLICATIONS



'With all that grace, power, and finesse on tap, when it comes to music the Maestro is a genuinely do it all performer'

HIFI PLUS



SOPRA



'The Sopra N°2 is literally and figuratively an impressive loudspeaker'

THE EARNET



'It's difficult to live without it'

SOUND STAGE HIFI



KANTA



'The Focal Kanta N°3 delivers terrific sound quality and a stylish design for its price'

WHAT HI-FI

'Tonally, the Focal is absolutely magnificent'

AV FORUMS





ARIA



'The sound quality offered for the price is excellent'

THE EAR NET



'It offers superb tonality, a wonderful soundstage and it is built like a Swiss watch'

AV FORUMS



CHORA



'A supremely talented speaker that delivers an exceptional level of performance'

HIFICHOICE

'Focal's 5.1.4 Chora system delivers impressive performance for the price and is equally adept at movies and music'

SOUND AND VISION



ASTRAL 16



'An experience that was spine-tingling'

HOME CINEMA CHOICE

'This is high-end hardware fit for the finest of setups'

AVTECH MEDIA



COLLECTIONS

Combining performance and design, Focal's collections are a revelation, awakening the émotions : at home with hi-fi and in-wall/in-ceiling loudspeakers, Home Cinema systems and open-/closed-back headphones; on the go with incar kits; during travel with Bluetooth® Noise Cancelling Headphones; in the studio with monitors; for outdoor spaces and at sea with specialist yacht solutions.



Home Collection



Motorities Collection



Professional Collection

FOCAL *Powered by* naim

Enjoy an incredible sound experience

Find our products in 10,000 retail partner stores across the world, but also in our Focal Powered by Naim shops. These shops, dedicated to our brands, invite you to dive into our world, our savoir-faire and immerse yourself in the Focal & Naim sound.

ASIA

Beijing - Bengaluru
Dubai - Guangzhou
Seoul Gangnam-gu
Seoul Hanam
Taipei

AUSTRALIA

Adelaide - Melbourne
Perth - Sydney

EUROPE


Cannes - Lyon
Perpignan
Berlin
Bad Schwartau
Sevenoaks
Norwich
Prague
Bucarest
Vilnius

CANADA

Barrie - Lethbridge
Saskatoon
Winnipeg

USA

Austin
Dallas - Houston
Scottsdale
Miami





For more information, scan the QR code
or find us at:

www.focal.com



Focal JMLab®

BP 374 - 108, rue de l'Avenir - 42353 La Talaudière cedex - France - +33 (0) 477 435 700

Focal® is a registered trademark of Focal JMLab®, Naim® is a registered trademark of Naim Audio®.

Due to constant technological advances, Focal JMLab® and Naim Audio® reserve the right to modify prices and specifications without notice.

Non-binding pictures. Pictures : L'Atelier Sylvain Madelon / Envato Elements. SCAA/05/01/2023 - v2

